

# UNI Plus cabinets



## QUALITY STANDARD

- LST EN 14073-1:2004
- LST EN 14073-2:2004
- LST EN 14073-3:2004
- LST EN 14074-2004

## TECHNICAL INFORMATION

### Carcass

- 18 mm MFC (melamine) with 1 mm ABS edging.

### Top and bottom

- 25 mm MFC (melamine) with 2 mm ABS edging.

### Back

- Made of 16 mm MFC (melamine);
- Fabric back panel (X0Z071 and X0Z103): HDF 3 mm coated with foam 3 mm and fabric;
- Whiteboard back panel (X0Z070 and X0Z102): HPL 1 mm.

## Shelves

- 18 mm MFC (melamine) with 1 mm ABS edging, load capacity – 25 kg;
- 25 mm MFC (melamine) with 2 mm ABS edging (for W=1000 mm wide carcass), load capacity – 32 kg;
- Fixed or height adjustable shelves.

## Shelf options

- Lateral filing shelf and cradle (suitable for A4 or foolscap filing) from metal sheet;
- Shelf with 5 chromed dividers from metal 5 mm.

## Pull-out filing cradle


- File drawers for both A4 and foolscap files;
- Full extension, with anti-tilt function;
- Made from welded metal sheet, without bottom. Powder coated (black);
- Ball bearing slide, load capacity 50 kg.

## Doors

- With hinges in 18 mm MFC (melamine) with 1 mm ABS edging;
- Tambour doors from ABS profile.

## Handles (2 types)

- 136 mm length square handle, powder coated metal;
- 150 mm length curved handle, powder coated metal.



Handle type (colour + handle code)

## Fittings

- Cams with connecting bolts;
- Lock with metal bars;
- Fast assembling hinges (does not require any tools to connect hinges and plates).

## Plinth

- Made of 18 mm MFC (melamine), H=80 mm.

## Metal legs

- Metal tube - 40x40 mm;
- Plastic feet with height levelling, H=80 mm +10 mm;
- Powder coated metal.


## Plastic legs

- Black plastic height levelling feet, H=23 mm +10 mm (with OPTIMA desks H=720 mm);
- Black plastic height levelling feet, H=38 mm +10 mm (with NOVA desks H=740 mm).


## Castors

- Four twin wheel castors, Ø80 mm;
- Two out of four with stopper brakes;
- The load capacity: 100 kg per castor.

## RANGE



\*tambour doors



## Cabinets



Cabinet with tambour doors (with lock)



Bookcase



Cabinet with lock



+

Shelf



Fixed shelf



Lateral filing shelf



Shelf with 5 chromed dividers



Pull out black metal filing cradle



Lateral filing cradle

## Desk cabinets



Cabinet with tambour doors (with lock)



Bookcase



Cabinet with lock



Top to be used with 1640 mm deep benches (only for cabinets U2N080 and U2C080)



Plastic legs H=23/38 mm


## Must be ordered

(one of the following)



Plinth, metal legs, plastic legs or castors

## Optional



Fabric back panel




Whiteboard panel

## ADDITIONAL INFORMATION


Files line up differently using pull out black metal filing cradle in 800 mm and 1000 mm width cabinets.

330 A4




800

386 FOOLSCAP




800

330 A4



1000

386 FOOLSCAP



1000