

ZEDO

Technical information



Other documents available for this product

Technical information for ZEDO desks

Technical information for ZEDO PET acoustic desk screens

Ordering guidelines for ZEDO desks


Cable management guidelines for ZEDO desks

Quality standard

· LST EN 15372:2017

Warranty

See Warranty Statement



Technical information

Tabletop

- 18 mm MFC (melamine) with 1 mm ABS edges;
- Easy to assemble and disassemble - "metal-to-metal" construction.

Metal beam

- Metal tube – 40x20 mm;
- With welded metal plates for leg fixing;
- Powder coated metal.

Legs

- Welded metal structure of rectangular 50x25 mm and round \varnothing 40 mm tubes;
- Powder coated metal;
- Plastic feet with height levelling (+10 mm).

Central leg

- Welded metal structure of rectangular 60x30 and 50x25 mm tubes;
- Vertical part – round \varnothing 40 mm tube, assembled on site;
- Powder coated metal;
- Plastic feet with height levelling (+10 mm).

Plugs


- CNC machined metal, \varnothing 40x13 mm;
- Powder coated metal;
- For desk legs without accessories plugs must be ordered separately.

Range

Conference & Meeting tables



6 seats











*Tabletop depth

Conference & Meeting tables





Supplementary units



4 seats



6 seats



*Tabletop depth

Additional information

- You can use maximum three supplementary units in one combination to extend the table.



- Information about available accessories for this range can be found in our product pricelists.